

DESCRIPTION

barpa Distribution Box is used in FTTH access network and accomodates 12 fibers.Suitable for inside or outside applications, with the function of mechanical splice or fusion, was designed to enlarge fiber capacity and save cost. With a waterproof, dust-proof and wetproof design, has a total enclosed structure.



FEATURES

Material	ABS/PC			
Color	or Grey			
IP	IP 55			
Dimensions (mm)	197x110x43			
Applicable Environment	Indoor or Outdoor			
Installation	Wall Mounting			
Operating Temperature (°C)	-40 to 65			
Weight (kg)	0.345			

ACCESSORIES INCLUDED

One pre-installed splice cassette			
6 small cable ties			
4 cage nut fixing set			
Screw lock			

ORDER INFORMATION


			Inner Box		Carton	
Code	Unit Weight (kg)	Dimensions (mm)	Size (mm)	Quantity (un)	Size (mm)	Quantity (un)
81602020120	0.345	197x110x43	233x126x50	1	560x270x255	20


This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship , as well as modification of its content or context. All specifications are subject to change without notice. The pictures/drawings are merely illustrative. More information: info@barpa.eu or in www.barpa.eu


1/2



TECHNICAL DRAWING (mm)

















This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship , as well as modification of its content or context. All specifications are subject to change without notice. The pictures/drawings are merely illustrative. More information: info@barpa.eu or in www.barpa.eu