DATA CENTER CABLE 2,0MM FOR MPO PATCH CORD - DATASHEET

Posted on 25-06-2024 by barpaadminuser

2,0mm DATA CENTER CABLE FOR MPO PATCH CORD

DESCRIPTION

The barpa Data Center Cable are perfect for MPO patch cords and assemblies. For Multifiber connectors.

APPLICABLE STANDARDS

• EN 50173-5 • IEC 60794-2-20 • ISO/IEC 24764
• IEC 60332-1-2 • IEC 60332-3-24 • IEC 60754-1
• IEC 60754-2 • IEC 61034





1. Outer Jacket
2. Primary Coated Fibre, 250µm
3. Strength Member



CABLE PROPERTIES

Coating Fiber	Color	1 - blue
		2 - orange
		3 - green
		4 - brown
		5 - grey
		6 - white
		7 - red
		8 - black
		9 - yellow
		10 - violet
		11 - pink
		12 - aqua
Strength member	Material	Aramid Yarns
Sheath	Material	Halogen free, flame resistant thermoplastic compund acc.50290-2-27, UV stabilised, 0,25mm
	Color	OM4 - Purple; OS2 G657A2 - Yellow
	Marking	(code) barpa Data Center Cable 2mm for MPO Patch Cord <Euroclass> <Category> 12F <batch no. YearWeek> Made in Eu <meters>

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning it's authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are mainly illustrative.
More information: info@barpa.eu or in www.barpa.eu