FAN UNIT - DATASHEET

Posted on 26-06-2024 by barpaadminuser

FAN UNIT

DESCRIPTION

The barpa Fan Unit is designed for standard 19'' installations and is exclusively compatible with barpa cabinets. It ensures efficient ventilation and reliable operation, contributing to optimal performance and longevity of your equipment.



APPLICABLE STANDARDS

- EN IEC 55014-1:2021 • EN IEC 55014-2:2021
- EN IEC 61000-3-2:2019+A1:2021 • EN 61000-3-3:2013+A1:2019
- EN 60335-1 :2012+A11:2014+A13:2017+A1:2019+A14:2019
- EN6035-280:2003+A1:2004+A2:2009
- EN 62233:2008 • Directive 2011/65/EU • UL 1430

ROHS CE

FEATURES

Input	Voltage Rating (V)	110
		220
	Frequency (Hz)	50
	Current Rating (A)	10
Work Voltage Rate (V)	110V	94 - 125
	220V	187 - 231
Fan Dimensions (mm)	120x120x38	
Cable Length (m)	1,9	
Material	SPCC Cold Rolled Steel	
Color	Black (RAL9004)	
Thickness (mm)	1,2	
Operational Performance Range (°C)	-10 to +50	

LOGISTICS INFORMATION

					Inner Box		Outer Box	
Code	Fan (un)	Type	Input (V)	Weight Unit (kg)	Size (mm)	Quantity (un)	Size (mm)	Quantity (un)
82390502210	2	UK	220	2,5	395x295x65	1	645x405x305	10
82390502110	2	German	220	2,5				
82390502310	2	US	110	2,5				
82390503210	4	UK	220	3,5				
82390503110	4	German	220	3,5				
82390503310	4	US	110	3,5				

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu