FAN UNIT WITH THERMOSTAT - DATASHEET

Posted on 26-06-2024 by barpaadminuser

FAN UNIT WITH THERMOSTAT

DESCRIPTION

The barpa Fan Unit with Thermostat is designed for seamless integration into 19" standard installations, exclusively compatible with barpa cabinets. Engineered to provide efficient ventilation and ensure reliable performance, this unit is equipped with a thermostat that automatically regulates fan operation, eliminating the need for manual intervention. With its high switching performance, this fan unit delivers superior functionality to maintain optimal operating conditions.



APPLICABLE STANDARDS

- EN IEC 55014-1:2021 • EN IEC 55014-2:2021
- EN IEC 61000-3-2:2019+A1:2021 • EN 61000-3-3:2013+A1:2019
- EN 60335-1 :2012+A11:2014+A13:2017+A1:2019+A14:2019
- EN6035-280:2003+A1:2004+A2:2009
- EN 62233:2008 • Directive 2011/65/EU • UL 1430

ROHS CE

FEATURES

Input	Voltage Rating (V)	110
		220
	Frequency (Hz)	50
	Current Rating (A)	10
Work Voltage Rate (V)	110V	94 - 125
	220V	187 - 231
Fan Dimensions (mm)	120x120x38	
Cable Length (m)	1,9	
Temperature Control Range (°C)	0 to + 60	
Material	SPCC Cold Rolled Steel	
Color	Black (RAL9004)	
Thickness (mm)	1,2	
Operational Performance Range (°C)	-10 to +50	

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu