

# LOOSE TUBE MULTITUBE GLASS CABLE 5000N – PE - DATASHEET

*Posted on 25-06-2024 by barpaadminuser*



# barpa

## LOOSE TUBE MULTITUBE CABLE GLASS YARN DIELECTRIC ARMOURING 5000N PE

### DESCRIPTION

For outdoor installations. Mostly used in campus backbone applications. With a degree of rodent protection, effective in many cases.

### APPLICABLE STANDARDS


- ISO/IEC 11801 • EN 50173-1 • IEC 60794-3 • EN 187 000
- IEC 60794-3-10 • IEC 60794-3-12 • IEC 60793-2-50
- IEC 60793-2-10 • IEC 60794-1-21 IEC 60794-1-22



48-fiber demonstration cable



- 1 Loose Tube
- 2 Colored Coating Fiber
- 3 Filling Gel
- 4 Central Strength Member
- 5 Waterproof tape
- 6 Glass Yarns
- 7 Outer Jacket



### CABLE PROPERTIES

Coating	Color	1 - red
		2 - green
		3 - blue
		4 - yellow
		5 - white
		6 - grey
		7 - brown
		8 - violet
		9 - turquoise
		10 - black
		11 - orange
		12 - pink
Loose Tube	Dimension (mm)	2,3
Central Strength Member	Diameter (mm)	2,5
	Material	FRP
Sheath	Material	1,5mm; MDPE
	Color	Black
	Marking	(code) barpa FO Multi w Glass PE (fiber type) (No of fibers)F (batch no.) Made in EU (meters)m
Water Blocking		Swellable tape and tread
VDE 888		A-DG(ZN)B2Y

This document is authored and owned by barpa. It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice. The pictures/illustrations are merely illustrative. More information: [info@barpa.eu](mailto:info@barpa.eu) or in [www.barpa.eu](http://www.barpa.eu)  
**datasheet n° b115\_6 | date: 02/25**  
 approved by: Ana Barbosa

