

MULTITUBE CABLE WITH CORRUGATED STEEL 1800N – DOUBLE SHEATH – PE - DATASHEET

Posted on 25-06-2024 by barpaadminuser



LOOSE TUBE MULTITUBE CABLE CORRUGATED
STEEL ARMOURING DOUBLE SHEATH 1800N PE

DESCRIPTION

For outdoor installations. Mostly
used in telecom trunk lines, CATV
trunk lines. For direct burial and for
cases of high risk of rodent attacks.

APPLICABLE STANDARDS

- EN 187 000 • IEC 60794-3 • IEC 60794-3-10
- IEC 60794-3-12 • ISO 11801 • EN 50 173-1 • IEC60794-1-2



- ① Filler
- ② Water-blocking Yarn
- ③ Loose Tube
- ④ Colored Coating Fiber
- ⑤ Filling Gel
- ⑥ Central Strenght Member
- ⑦ Waterproof Tape
- ⑧ Binding Yarn
- ⑨ Inner Jacket
- ⑩ Corrugated Steel
- ⑪ Outer Jacket



CABLE PROPERTIES

| | | | |
|-------------------------|----------------|--|-------------------------|
| Coating Fiber | Color | 1 - red | 1 - red with mark |
| | | 2 - green | 2 - green with mark |
| | | 3 - blue | 3 - blue with mark |
| | | 4 - yellow | 4 - yellow with mark |
| | | 5 - white | 5 - white with mark |
| | | 6 - grey | 6 - grey with mark |
| | | 7 - brown | 7 - brown with mark |
| | | 8 - violet | 8 - violet with mark |
| | | 9 - turquoise | 9 - turquoise with mark |
| | | 10 - black | 10 - black with mark |
| | | 11 - orange | 11 - orange with mark |
| | | | 12 - pink |
| Loose Tube | Dimension (mm) | 2,3 | |
| Water Blocking | | Tape | |
| Central Strenght member | Material | 2,5mm FRP rod | |
| Ripcord | | 2 rip cord | |
| Armouring | Material | Corrugated steel 0,15mm | |
| Sheath | Material | 1,5mm MDPE | |
| | Color | Black | |
| | Marking | (code) barpa FO Multi w Corrugated Steel PE Double (fiber type) (No of fibers)F (batch no.) Made in EU (meters)m | |
| VDE 888 | | A-DQ2Y(SR)2Y | |

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu
datasheet n° b45_4 | date: 01/25
approved by: Ana Barbosa

