REPLACEMENT REEL FOR FIBER OPTIC CLEANING CASSETTE - DATASHEET

Posted on 04-11-2026 by barpaadminuser

REPLACEMENT REEL FOR FIBER OPTIC CLEANING CASSETTE

DESCRIPTION

Replacement Reel for Fiber Optic Cleaning Cassette, designed to restore cleaning capacity without replacing the entire cassette. Provides a fresh cleaning surface for effective removal of dust, oils, and contaminants from fiber optic connector end faces, extending the cassette's service life while reducing waste and maintenance costs.



APPLICABLE STANDARDS

• Directive 2011/65/EU (RoHS); • Regulation (EC) No 1907/2006 (REACH)

REACH ROHS

MAIN FEATURES

Efficient Cleaning	Removes dust, oil, and other contaminants to maintain optimal signal quality.
Residue-Free Cleaning	High-quality, alcohol-free cloth that effectively removes contaminants without leaving lint or residue.
Refill for Fiber Optic Cleaning Cassette	Easily replaceable cleaning reel extends product life while reducing maintenance costs.

PHYSICAL SPECIFICATIONS

Dimensions (mm)	Ø47x12
Weight (kg)	0,017
Color	White
Number of Cleaning Cycles	≥500
Compatible Connectors	SC, LC, MU, FC, ST, E2000, MPO, MTP®
Compatible Connectors Angle	UPC and APC

LOGISTICS INFORMATION

	Unitary Box		Inner Box			Outer Box			EAN
Code	Weight (kg)	Dimensions (mm)	Weight (kg)	Dimensions (mm)	Quantity (un)	Weight (kg)	Dimensions (mm)	Quantity (un)	
81820301000	0,027	50x50x50	0,600	300x220x50	20	6,30	500x350x300	200	5608445047410

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu