
ULTRA HIGH DENSITY CASSETTES - DATASHEET

Posted on 25-06-2024 by barpaadminuser

FIBER OPTIC
ULTRA HIGH DENSITY CASSETTES

DESCRIPTION

barpa UHD Cassettes are designed to be installed on barpa UHD patch panel. Used to manage optical fiber terminations in 8F or 12F, these cassettes can be supplied already pre-configured or empty for splicing. With a special design, these cassettes are easy to install and remove.



TAILOR MADE

25 YEARS WARRANTY

APPLICABLE STANDARDS


• ISO/IEC 11801 • EN 50173-1 • IEC 61754-1 • ANSI/TIA-568.3-E



EMPTY



8 FIBERS



12 FIBERS

PRODUCT SPECIFICATIONS

Type		12F | 8F
Fiber Transitions		MTP®-LC MTP®-MTP® Empty for splicing (available in LC, LC/APC, SC and SC/APC)
Fiber Category		G657A1, G657A2, OM2, OM3, OM4, OM5
Polarity		A, B, U1, U2
Color		Black
Material		Plastic ABS
Dimensions (mm)	12F	90x130x12
	8F	60x105x12

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu