



FIBER OPTIC PATCH PANEL WITH CABLE MANAGEMENT

DESCRIPTION

barpa Fiber Optic Patch Panel with cable management is a standard 19". Supplied with pre-configured front panel for fast and easy installation. With a high quality material, transparent cover and a good dust-proof, it's used for manage optical fiber terminations and splices up to 48 fibers in 1U of rack space. With a sliding drawer design for easy access and with cable management and front cover, the panel are available in black colour.



APPLICABLE STANDARDS

• EIA 19-inch

ROHS

FEATURES

Adapter Type	SC Duplex / SC Simplex
Thickness (mm)	1,2
Material	Steel
Color	Black (RAL9005)
Dimension (mm)	483x303x46
Admissible Quantity of Splice Cassettes	4
Number of Splices per Cassete	12
Weight (kg)	4,6
Max Diameter of Cable (mm)	22

ACCESSORIES INCLUDED

One pre-installed splice cassette

6 small cable ties

Stick with fiber attention


12 Black covers for unused port

ORDER INFORMATION

Code	Description	Capacity (Fibers)	Unit Weight (kg)	Inner box		Outer box	
				Size (mm)	Quantity (un)	Size (mm)	Quantity (un)
81501010301	Patch Panel with Cable Management for 24 SC Duplex V1 *	48	4,6	520x360x85	1	530x380x280	3
81501010302	Patch Panel with Cable Management for 24 SC Simplex V1	24					

* This version can only use SC Duplex without flange 81412121040 or 81412131050 (SC/APC)

TECHNICAL DRAWING (mm)





FIBER OPTIC PATCH PANEL WITH CABLE MANAGEMENT

PACKAGING

This images are merely illustratives. We want you to see the importance we attach to the packaging.
We always work with products and materials that are easy to use.

