

DESCRIPTION

Crux 3 cabinet is the wall mount bracket of the barpa range of cabinets. The best way to get the most of this cabinet is with barpa accessories, you should get them separately. Perfect for versatile solutions as small networks.

APPLICABLE STANDARDS

- ANSI/EIA RS-310-D; IEC 60297-2;
- DIN 41494 Parte 1 and 7.







SPECIFICATIONS

| Material | SPCC Cold Rolled Steel; Mounting profile: 1.2mm; Others 1.0mm | | | |
|-----------------------|---|--|--|--|
| Loading Capacity (kg) | 30 | | | |
| Color | Black (RAL9004) | | | |
| Earth connection | Yes | | | |
| Product Family | Series Crux | | | |

FEATURES

| A.I. I. | |
|---------|---------|
| Aireaay | mounted |

Cable entry on both of top cover and bottom panel

Opening direction of door can be changed, turning angle of front door is over 180 degrees

Glass front door

Wall mounted panel, convenience for installation, locked from inside with screw, avoiding to be stolen or accidentally dropped


 $10^{\prime\prime}$ standard installation with pre-installation of ventilation


ORDER INFORMATION

| | | Product | | | Package | | |
|-------------|---|------------|-------------|-------------|-----------------|-------------|---------------|
| Code | U | Width (mm) | Length (mm) | Height (mm) | Dimensions (mm) | Weight (kg) | EAN |
| 82361080000 | 8 | 300 | 236,4 | 441 | 300x300x411 | 8.5 | 5608445014122 |



TECHNICAL DRAWING (mm)







Depth: 300








236,4





116,5 86,5



PACKAGING

This images are merely illustratives. We want you to see the importance we attach to the packaging. We always work with products and materials that are easy to use.

