



FIBER OPTIC PATCH PANEL 24 WAYS V1.0

DESCRIPTION

barpa's Fiber Optic Patch Panel is a standard 19" designed for simplicity without compromising on essential components. This panel is engineered for managing optical fiber terminations and splices, accommodating up to 48 or 96 fibers within just 1U of rack space. With a drawer design for easy access and adjustable in depth, this panel is available in black color.



APPLICABLE STANDARDS

• EIA 19-inch • ISO/IEC 11801 • EN 50173-1

KEY FEATURES

Drawer Design with Adjustable Mounting Brackets

Ensures effortless access, depth adjustment, and user-friendly operation. The open holes in the brackets facilitate easier and more flexible installation in the rack.

High Capacity

Comes with a pre-installed cassette that handles 24 fiber splices. You can stack up to four cassettes in one panel, allowing you to manage up to 96 fibers.

Organizational Efficiency

The simple design makes it easy to use and the included accessories help to keep the fibers well-organized, according to the user's needs.

PHYSICAL SPECIFICATIONS

Adapter Type	SC Simplex / LC Duplex SC Duplex / LC Quadriplex ST
Thickness (mm)	Main Body: 1,2 Mounting Brackets: 2,0
Material	SPCC Steel
Color	Black (RAL 9005)
Dimensions (mm)	482,6 x 240,0 x 44,0
Weight (kg)	2,95
Admissible Quantity of Splice Cassette	4
Number of Splices per Cassette	24
Max Diameter of Cable (mm)	15
Rear cable entry	Multiple cable entries

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.

More information: info@barpa.eu or in www.barpa.eu

datasheet n° b166_1 | date: 02/25

approved by: Ana Barbosa


INCLUDED ACCESSORIES

1x Pre-Installed Splice Cassette
4x Twist Cable Ties
4x Small Cable Ties
1x M20x1,5 Cable Gland
1x M25x1,5 Cable Gland
4x Cage Nut fixing set
12x Blank Covers
4x Velcro Tape Strips

LOGISTICS INFORMATION

Code	Description	Capacity	Inner Box		Outer Box	
			Dimensions (mm)	Quantity (un)	Dimensions (mm)	Quantity (un)
81501010401	Patch Panel for 24 SC Duplex or 24 LC Quadriplex	48 or 96 fibers	535x325x50	1	550x275x345	5
81501010402	Patch Panel for 24 SC Simplex or 24 LC Duplex	24 or 48 fibers	535x325x50	1	550x275x345	5
81501010403	Patch Panel for 24 ST	24 fibers	535x325x50	1	550x275x345	5

TECHNICAL DRAWING (mm)





FIBER OPTIC
PATCH PANEL 24 WAYS V1.0

CUSTOMIZATION - HIGGS BY BARPA

**TAILOR
MADE**

You can order this customized, what you need to consider:

Choose the type and number of adapter you want

Choose the type and number of pigtails you want

PACKAGING

This images are merely illustratives. We want you to see the importance we attach to the packaging.
We always work with products and materials that are easy to use.



As part of our goal to achieve quality excellence, our barpa System Warranty can give you 25 years products and solution assurance of compliance with the industry performance standard comparing with the class installed. This warranty applies to network infrastructure installations that was made by an approved barpa partner using an barpa solution (end-to-end). For more informations go to our website.

This document is authored and owned by barpa . It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.

More information: info@barpa.eu or in www.barpa.eu